E-mail: Dylan@tec-rubber.com





Stabilizer Rubber Bushing

As an ISO and IATF certified manufacturer, we specialize in manufacturing of an extensive range of stabilizer rubber bushing, that are known for accurate dimension and high performance. These bushes are fabricated using finest quality raw material. Our range reduces the noise during operation and appreciated for wear & tear resistance, heat resistance and trouble free and noiseless operation.

1. Product Introduction of the Stabilizer Rubber Bushing

Liangju carry a vast range of steering and Stabilizer Rubber Bushing in both urethane and rubber. We have the ability to offer custom Stabilizer Rubber Bushing in almost every shape, size and material specification. The stabilizer rubber bushing on your car is designed to absorb bumps and reduce noise when you're driving. They feature rubber bushings that prevent your vehicle from rolling as it corners. Sway bar bushings wear out over time and can cause issues with steering and handling. The parts is made of natural rubber, so it has good abrasion resistance, elasticity, tensile strength and elongation. Advantage:

- ·Made from high-quality natural rubber material for durability and ride performance
- ·Less prone to splitting, discoloring or cracking with age for long life
- Optimized for quiet operation and resistance to wear, salt, road grime and oils
- ·Our engineers conduct comprehensive testing throughout the design and development process, ensuring quality you can rely on.

Tel: +86-592-7255151





2. Product Parameter (Specification)

Product Name:	Stabilizer Bar Rubber Bushing
Material:	NBR, HNBR, EPDM, SILICONE, VITON, FLS, FFPM, PTFE
Size:	Any size, Customized/standard and nonstandard
Color:	Black
Packing:	plastic bag&carton box or according to your requirements
Sample time:	20-25days
Application:	Automotive

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151

E-mail: Dylan@tec-rubber.com



Warranty:	2years

3. our service.


- 1. Inquiry about our products can be replied within 12 hours.
- 2. Professional & experienced staff help you solve problems of silicone and rubber products.
- 3. Accept customized shape, material, hardness, temperature, size, color, logo and packing.
- 4. Mode of production: Compression or injection or extrusion.
- 5.We have a comprehensive range of in-house manufacturing facilities, allowing us to provide fast and effective manufacturing.

4. Quality Control and Certifications

We serve our customers with high quality Customized Shape Rubber Gaskets by strictly follow ISO 9001:2015 and IATF 16949.



QC Flow



Dimensional Inspection



In-process QC



Incoming QC



In-process QC



In-process QC



FQC

5. Packing, Payment and Shipping

Our packing for all the Customized Shape Rubber Gaskets, strong enough to ensure its safety throughout the whole delivery no mater domestic or oversea shipping. Customized Packing/LOGO/Labeling are Available.

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151 E-mail: Dylan@tec-rubber.com










ISO 9001: 2015

IATF 16949: 2016



6. FAQ

1. Do you supply material?

Yes, we have our own mixing rubber factory and can supply you with Synthetic Rubbers to fit your applications.

2. If OEM is acceptable?

Yes, Samples are Free of charge

3. What Is EPDM Rubber?

Xiamen Liangju Rubber Technology Co., Ltd.

Tel: +86-592-7255151

E-mail: Dylan@tec-rubber.com

E-mail: Dylan@tec-rubber.com



EPDM is a synthetic rubber polymer and is made from ethylene and propylene monomers. This rubber was developed in the early 1960's and used to produce variety of products like radiator and steam hoses, freezer gaskets, tires, roofing membranes and aircraft seals to name only a few.

4. Why is rubber used to produce industrial products?

Rubber has certain unique properties which makes it suitable to produce rubber products which are widely used in various industrial applications. Rubber is water repellent. It is resistant to alkalies and weak acids. Rubber has elasticity, toughness, impermeability, adhesiveness, and electrical resistance. These properties make rubber useful as an adhesive, a coating composition, a fiber, a molding compound, as well as an electrical insulator.

5. Which type of rubber is best for my application?

There are a range of natural and synthetic rubbers with different properties, making some more suitable than others for particular applications—the key of course is choosing the most appropriate one! For specific requirements, please ask our rubber products specialists for guidance.

Tel: +86-592-7255151